



The State of New Hampshire
Department of Environmental Services

Robert R. Scott, Commissioner



adam
108

NOV04'20 AM 9:45 RCVD

November 3, 2020

His Excellency, Governor Christopher T. Sununu
and The Honorable Council
State House
Concord, NH 03301

REQUESTED ACTION

Approve David G. Guimond Revocable Trust 2's request to perform the following work on Pleasant Lake in New London. File # 2020-01236. This project will not have significant impact on or adversely affect the values of Pleasant Lake.

Install two 6 foot x 20 foot seasonal piers connected by a 4 foot x 10 foot seasonal walkway and accessed by a 6 foot x 40 foot seasonal walkway and construct a 4 foot x 7 foot anchoring pad approximately 120 feet north of an existing 55 foot breakwater and 4 foot x 39 foot cantilevered pier accessed by a 5 foot x 4 foot walkway on an average of 430 feet of frontage along Pleasant Lake in New London.

The New Hampshire Department of Environmental Services (NHDES) imposed the following conditions as part of this approval:

1. In accordance with Env-Wt 307.16, all work shall be done in accordance with the revised plans revision dated August 11, 2020 by Watermark Marine Construction, as received by the NH Department of Environmental Services (NHDES) on August 21, 2020.
2. This permit shall not be effective until it has been recorded in the Merrimack County Registry of Deeds and a copy of the recorded permit has been provided to the department as required pursuant to RSA 482-A:3, and Env-Wt 314.02.
3. Any subdivision of the property frontage will require removal of a sufficient portion of the docking structures to comply with the dock size and density requirements in effect at the time of the subdivision as required to maintain compliance with Env-Wt 314.02 and Env-Wt 513.12.
4. Only those structures shown on the approved plans shall be installed or constructed along this frontage as required per Env-Wt 513.22, (a).
5. All portions of the docking structures shall be located at least 20 feet from the abutting property lines and no watercraft shall be secured to the docking facility such that it crosses over the imaginary extension of the property lines over the surface water as required by RSA 482-A:3, XIII.
6. No portion of the docking structures shall extend more than 60 feet from the shoreline at full lake elevation (Elev. 803.8) pursuant to Env-Wt 513.22, (a).
7. All seasonal structures shall be removed for the non-boating season as required per Env-Wt 513.22.
8. The concrete pad shall be constructed landward of the normal high water line (Elev. 803.8) as required per Env-Wt 513.13, (d).

www.des.nh.gov

29 Hazen Drive • PO Box 95 • Concord, NH 03302-0095

NHDES Main Line: (603) 271-3503 • Subsurface Fax: (603) 271-6683 • Wetlands Fax: (603) 271-6588

TDD Access: Relay NH 1 (800) 735-2964

9. The use of this structure shall be limited to the docking and securing of watercraft as required to comply with Env-Wt 307.09.
10. The owner understands and accepts that should these docking structures be found to have an unreasonable impact on the ability of abutting owners to use and enjoy their properties or the public's right to navigation, passage, and use of the resource for commerce and recreation the structures shall be subject to removal pursuant to RSA 482-A:1, RSA 482-A:11, (2), and Env-Wt 513.03 (a).
11. All development activities associated with any project shall be conducted in compliance with applicable requirements of RSA 483-B and Env-Wq 1400 during and after construction as required pursuant to RSA 483-B:3.
12. Pursuant to RSA 483-B:9, V, (a)(2)(d)(v), this permit does not authorize the removal of trees or saplings within the waterfront buffer that would result in a tree and sapling point score below the minimum required per RSA 483-B:9, V, (a)(2)(D)(iv).
13. Work authorized shall be carried out in accordance with Env-Wt 307 such that appropriate turbidity controls are in place to protect water quality, that no turbidity escapes the immediate dredge area, and that appropriate turbidity controls shall remain until suspended particles have settled and water at the work site has returned to normal clarity.
14. All dredged and excavated material and construction-related debris shall be placed outside of those areas subject to RSA 482-A or RSA-483-B unless a permit for the deposition of materials within those areas has been obtained as required per RSA 482-A:3 or RSA 483-B:5-b respectively.
15. Pursuant to RSA 482-A:14, RSA 482-A:14-b, and RSA 482-A:14-c, NHDES is authorized to take appropriate compliance actions should it be determined that, based upon additional information which becomes available, any of the structures depicted as "existing" on the plans submitted by or on behalf of the permittee were not previously permitted or grandfathered.

EXPLANATION

The NHDES approved this project on September 18, 2020. The NHDES supported its decision with the following findings:

1. This is a major impact project per Administrative Rule Env-Wt 513.24(c)(3), the proposed docking structures are proposed adjacent to and attached to a breakwater.
2. The applicant has an average of 430 feet of frontage along Pleasant Lake.
3. A maximum of 6 slips may be permitted on this frontage per Rule Env-Wt 513.12, Frontage Requirements for Private and Non-commercial Docking Structures.
4. The proposed docking facility will provide 5 slips as defined per RSA 482-A:2, VIII, and therefore meets Rule Env-Wt 513.12.
5. The NHDES finds that because the project is not of significant public interest and will not significantly impair the resources of Pleasant Lake a public hearing under RSA 482-A:8 is not required.
6. The applicant has provided the NHDES with evidence that the property has insufficient water depth as required by Env-Wt 513.08(b).
7. The NHDES has accepted the evidence of the physical hardship and approved the extension of a seasonal pier beyond that permissible under Env-Wt 513.11(a)(1)(a).

His Excellency, Governor Christopher T. Sununu
and The Honorable Council
Page 3 of 3

8. The installation of the seasonal pier in a new location 120 feet from the existing breakwater and pier is less environmentally impacting than dismantling and removing or reconfiguring the existing structures in a manner that would provide the additional requested slips.
9. The NHDES finds that the project as proposed and conditioned meets the requirements of RSA 482-A and the Wetlands Program Code of Administrative Rules Chapters Env-Wt 100 - 900.

Application file documents are being forwarded to the Governor and the Executive Council in connection with their consideration of this matter pursuant to RSA 482-A:3, II.(a) as it is a major project in public waters of the state.

We respectfully request your approval of this item.



Robert R. Scott
Commissioner



NH DES WETLANDS
Copy

STANDARD DREDGE AND FILL
WETLANDS PERMIT APPLICATION
Water Division/Land Resources Management
Wetlands Bureau



Check the Status of your Application

RSA/Rule: RSA 482-A/Env-Wt 100-900

APPLICANT'S NAME: Guimond, David

TOWN NAME: New London

RECEIVED Administrative JUN 23 2020 Only NHDES LAND RESOURCES MANAGEMENT	INCOMPLETE Use JUN 04 2020	COMPLETE Administrative JUN 09 2020 Use Only	File No: <u>20-20-01236</u>
			Check No.: <u>5390</u>
			Amount: <u>4,057.00</u>
			Initials: <u>LSL</u>

A person may request a waiver to requirements in Rules Env-Wt 100-900 to accommodate situations where strict adherence to the requirements would not be in the best interests of the public or the environment. A person may also request a waiver of standard for existing dwellings over water pursuant to RSA 482-A:26, III (b). For more information, please consult the [request form](#).

SECTION 1 - REQUIRED PLANNING FOR ALL PROJECTS (Env-Wt 306.05, RSA 482-A:3, I(d)(2))

Please use the [Wetland Permit Planning Tool \(WPPT\)](#), the Natural Heritage Bureau (NHB) [DataCheck Tool](#), the [Aquatic Resource Mapper](#), or other sources to assist in identifying key features such as: priority resource areas (PRAs), protected species or habitats, coastal areas, designated rivers, or designated prime wetlands.

Has the required planning been completed? Yes No

Does the property contain a PRA? Yes No. If yes, provide the following information:

- Does the project qualify for an Impact Classification Adjustment or a Project-Type Exception (See Env-Wt 407.02 and Env-Wt 407.04)? Yes No
- Protected species or habitat? Yes No. If yes, species or habitat name(s):
- NHB Project ID #: NHB20-0526
- Bog? Yes No
- Floodplain wetland contiguous to a tier 3 or higher watercourse? Yes No
- Designated Prime Wetland or duly-established 100-foot buffer? Yes No
- Sand dune, tidal wetland, tidal water, or undeveloped tidal buffer zone? Yes No

Is the property within a Designated River corridor? Yes No. If yes, provide the following information:

- Name of Local River Management Advisory Committee (LAC):
- A copy of the application was sent to the LAC on Month: Day: Year:

For stream crossing projects, provide watershed size:

For dredging projects, is the subject property contaminated? Yes No
If yes, list contaminant:

Is there potential to impact impaired waters, class A waters, or outstanding resource waters? Yes No

irm@des.nh.gov or (603) 271-2147

NHDES Wetlands Bureau, 29 Hazen Drive, PO Box 95, Concord, NH 03302-0095

www.des.nh.gov

SECTION 2 - PROJECT DESCRIPTION (Env-Wt 311.04(i))

Provide a brief description of the project and the purpose of the project, outlining the scope of work to be performed and whether impacts are temporary or permanent. DO NOT reply "See attached" in the space provided below.

Install a "Y" shaped seasonal dock attached to shore by a 4ft x 7ft concrete hinge pad located behind the full lake reference line. The dock shall consist of a 6ft x 40ft access lead-on to extend over an unnavigable area populated by numerous rocks and boulders. At the end of the lead-on there are to be two 6ft x 16ft seasonal dock fingers, connected by a 4ft x 22ft connecting walkway. Additionally, install one seasonal boatlift and two seasonal PWC lifts.

SECTION 3 - PROJECT LOCATION

Separate wetland permit applications must be submitted for each municipality within which wetland impacts occur.

ADDRESS: 17 Wilmot Center Road

TOWN/CITY: New London

TAX MAP/BLOCK/LOT/UNIT: 077-015-000

US GEOLOGICAL SURVEY (USGS) TOPO MAP WATERBODY NAME: Pleasant Lake

N/A

(Optional) LATITUDE/LONGITUDE in decimal degrees 43.42127° North
(to five decimal places): 71.93972° West

SECTION 4 - APPLICANT (DESIRED PERMIT HOLDER) INFORMATION (Env-Wt 311.04(a))

If the applicant is a trust or a company, then complete with the trust or company information.

NAME: Guimond, David

MAILING ADDRESS:

TOWN/CITY:

STATE:

ZIP CODE:

EMAIL ADDRESS: N/A

FAX: N/A

PHONE: N/A

ELECTRONIC COMMUNICATION: By initialing here: N/A, I hereby authorize NHDES to communicate all matters relative to this application electronically.

SECTION 5 - AUTHORIZED AGENT INFORMATION (Env-Wt 311.04(c))

N/A

LAST NAME, FIRST NAME, M.I.: Aldcroft, Ian E.

COMPANY NAME: Watermark Marine Construction

MAILING ADDRESS: 1218 Union Avenue

TOWN/CITY: Laconia

STATE: NH

ZIP CODE: 03246

EMAIL ADDRESS:

iea@watermarkmarine.com

FAX: N/A

PHONE: 603-293-4000

ELECTRONIC COMMUNICATION: By initialing here IEA, I hereby authorize NHDES to communicate all matters relative to this application electronically.

irm@des.nh.gov or (603) 271-2147

NHDES Wetlands Bureau, 29 Hazen Drive, PO Box 95, Concord, NH 03302-0095

www.des.nh.gov

SECTION 6 - PROPERTY OWNER INFORMATION (IF DIFFERENT THAN APPLICANT) (Env-Wt 311.04(b))

If the owner is a trust or a company, then complete with the trust or company information.

Same as applicant

NAME: David B. Guimond Revocable Trust 2

MAILING ADDRESS:

TOWN/CITY

STATE:

ZIP CODE

EMAIL ADDRESS: N/A

FAX: N/A

PHONE: N/A

ELECTRONIC COMMUNICATION: By initialing here N/A, I hereby authorize NHDES to communicate all matters relative to this application electronically.

SECTION 7 - RESOURCE-SPECIFIC CRITERIA ESTABLISHED IN Env-Wt 400, Env-Wt 500, Env-Wt 600, Env-Wt 700, OR Env-Wt 900 HAVE BEEN MET (Env-Wt 313.01(a)(3)).

Describe how the resource-specific criteria have been met for each Chapter listed above (please attach information about stream crossings, coastal resources, prime wetlands, or non-tidal wetlands and surface waters).

All applicable criteria to this specific project:

Env-Wt 513.02

Env-Wt 513.03

Env-Wt 513.05(a)

Env-Wt 513.06(a) and (b)

Env-Wt 513.08(b)

Env-Wt 513.09

Env-Wt 513.10(a) and (d)

Env-Wt 513.11(a)(1)(1)

Env-Wt 513.12

Env-Wt 513.13

Env-Wt 513.14

Env-Wt 513.21

Env-Wt 513.22(a) and (b)

Env-Wt 513.24(b)

SECTION 8 - AVOIDANCE AND MINIMIZATION

Impacts within wetland jurisdiction must be avoided to the maximum extent practicable (Env-Wt 313.03(a)). If all impacts cannot be avoided, a functional assessment is required for minor and major projects (Env-Wt 311.03(b)(10)). Any project with unavoidable jurisdictional impacts must then be minimized as described in the Wetlands Best Management Practice Techniques For Avoidance and Minimization and the Wetlands Permitting: Avoidance, Minimization and Mitigation Fact Sheet.

Please refer to the application checklist to ensure that you have attached all documents related to avoidance and minimization, as well as functional assessment (where applicable). You can use the Avoidance and Minimization Checklist, the Avoidance and Minimization Narrative, or your own avoidance and minimization narrative.

SECTION 9 - MITIGATION REQUIREMENT (Env-Wt 311.02)

If unavoidable jurisdictional impacts require mitigation, a mitigation pre-application meeting must occur at least 30 days but not more than 90 days prior to submitting this Standard Dredge and Fill Permit Application.

lrn@des.nh.gov or (603) 271-2147

NHDES Wetlands Bureau, 29 Hazen Drive, PO Box 95, Concord, NH 03302-0095

www.des.nh.gov

Mitigation Pre-Application Meeting Date: Month: Day: Year:

N/A - Mitigation is not required

SECTION 10 - THE PROJECT MEETS COMPENSATORY MITIGATION REQUIREMENTS (Env-Wt 313.01(a)(1)c).

Have you submitted a compensatory mitigation proposal that meets the requirements of Env-Wt 800 for all permanent impacts that will remain after avoidance and minimization demonstration? Yes No

N/A - Mitigation is not required

SECTION 11 - IMPACT AREA (Env-Wt 311.04(g))

For each jurisdictional area that will be/has been impacted, provide square feet (SF) and, if applicable, linear feet (LF) of impact, and note whether the impact is after-the-fact (ATF; i.e., work was started or completed without required permitting).

For intermittent and ephemeral* streams, the linear footage of impact is measured along the thread of the channel. *Please note, installation of a stream crossing in an ephemeral stream may be undertaken without a permit per Rule Env-Wt 309.02(d), however other dredge or fill impacts should be included below.

For perennial streams/ivers, the linear footage of impact is calculated by summing the lengths of disturbances to the channel and banks.

Permanent impacts are impacts that will remain after the project is complete (e.g., changes in grade or surface materials).

Temporary impacts are impacts not intended to remain (and will be restored to pre-construction conditions) after the project is completed.

JURISDICTIONAL AREA		PERMANENT			TEMPORARY		
		SF	LF	ATF	SF	LF	ATF
Wetlands	Forested Wetland			<input type="checkbox"/>			<input type="checkbox"/>
	Scrub-shrub Wetland			<input type="checkbox"/>			<input type="checkbox"/>
	Emergent Wetland			<input type="checkbox"/>			<input type="checkbox"/>
	Wet Meadow			<input type="checkbox"/>			<input type="checkbox"/>
	Vernal Pool			<input type="checkbox"/>			<input type="checkbox"/>
	Designated Prime Wetland			<input type="checkbox"/>			<input type="checkbox"/>
	Duly-established 100-foot Prime Wetland Buffer			<input type="checkbox"/>			<input type="checkbox"/>
Surface Water	Intermittent / Ephemeral* Stream			<input type="checkbox"/>			<input type="checkbox"/>
	Perennial Stream or River			<input type="checkbox"/>			<input type="checkbox"/>
	Lake / Pond			<input type="checkbox"/>			<input type="checkbox"/>
	Docking - Lake / Pond	520		<input type="checkbox"/>			<input type="checkbox"/>
	Docking - River			<input type="checkbox"/>			<input type="checkbox"/>
Banks	Bank - Intermittent Stream			<input type="checkbox"/>			<input type="checkbox"/>
	Bank - Perennial Stream / River			<input type="checkbox"/>			<input type="checkbox"/>
	Bank/shoreline - Lake / Pond	28		<input type="checkbox"/>			<input type="checkbox"/>
Tidal	Tidal Waters			<input type="checkbox"/>			<input type="checkbox"/>
	Tidal Marsh			<input type="checkbox"/>			<input type="checkbox"/>
	Sand Dune			<input type="checkbox"/>			<input type="checkbox"/>
	Undeveloped Tidal Buffer Zone (TBZ)			<input type="checkbox"/>			<input type="checkbox"/>
	Previously-developed TBZ			<input type="checkbox"/>			<input type="checkbox"/>
	Docking - Tidal Water			<input type="checkbox"/>			<input type="checkbox"/>
TOTAL		548					

SECTION 12 - APPLICATION FEE (RSA 482-A:3, I)

MINIMUM IMPACT FEE: Flat fee of \$400

NON-ENFORCEMENT RELATED, PUBLICLY-FUNDED AND SUPERVISED RESTORATION PROJECTS, REGARDLESS OF IMPACT CLASSIFICATION: Flat fee of \$400 (refer to RSA 482-A:3, 1(c) for restrictions)

MINOR OR MAJOR IMPACT FEE: Calculate using the table below:

irm@des.nh.gov or (603) 271-2147

NHDES Wetlands Bureau, 29 Hazen Drive, PO Box 95, Concord, NH 03302-0095

www.des.nh.gov

Permanent and temporary (non-docking):	28 SF	x \$0.40 =	\$ 11.20
Seasonal docking structure:	520 SF	x \$2.00 =	\$ 1,040.00
Permanent docking structure:	0 SF	x \$4.00 =	\$ 0.00
Projects proposing shoreline structures (including docks) add \$400 =			\$ 400.00
Total =			\$ 1,051.20
The application fee for minor or major impact is the above calculated total or \$400, whichever is greater = \$1,051.20			

SECTION 13 - PROJECT CLASSIFICATION (Env-Wt 306.05)
Indicate the project classification.

Minimum Impact Project Minor Project Major Project

SECTION 14 - REQUIRED CERTIFICATIONS (Env-Wt 311.11)

Initial each box below to certify:

Initials: DB To the best of the signer's knowledge and belief, all required notifications have been provided.


Initials: DB The information submitted on or with the application is true, complete, and not misleading to the best of the signer's knowledge and belief.

Initials: DB The signer understands that:

- The submission of false, incomplete, or misleading information constitutes grounds for NHDES to:
 - Deny the application.
 - Revoke any approval that is granted based on the information. And
 - If the signer is a certified wetland scientist, licensed surveyor, or professional engineer licensed to practice in New Hampshire, refer the matter to the joint board of licensure and certification established by RSA 310-A:1.
- The signer is subject to the penalties specified in New Hampshire law for falsification in official matters, currently RSA 641.
- The signature shall constitute authorization for the municipal conservation commission and the Department to inspect the site of the proposed project, except for minimum impact trail projects, where the signature shall authorize only the Department to inspect the site pursuant to RSA 482-A:6, II.

Initials: DB If the applicant is not the owner of the property, each property owner signature shall constitute certification by the signer that he or she is aware of the application being filed and does not object to the filing.

SECTION 15 - REQUIRED SIGNATURE (Env-Wt 311.04(d); Env-Wt 311.11)

SIGNATURE (OWNER): 	PRINT NAME LEGIBLY: <u>David Guimond</u>	DATE: <u>5/22/20</u>
SIGNATURE (APPLICANT, IF DIFFERENT FROM OWNER): _____	PRINT NAME LEGIBLY: _____	DATE: _____
SIGNATURE (AGENT, IF APPLICABLE): <u>Ian Aldcroft</u>	PRINT NAME LEGIBLY: <u>Ian Aldcroft</u>	DATE: <u>05/10/20</u>

SECTION 16 - TOWN / CITY CLERK SIGNATURE (Env-Wt 311.04(f))

As required by RSA 482-A:3, I(a), (1), I hereby certify that the applicant has filed four application forms, four detailed plans, and four USGS location maps with the town/city indicated below.

TOWN/CITY CLERK SIGNATURE: _____	PRINT NAME LEGIBLY: _____
TOWN/CITY: <u>New London</u>	DATE: _____




Guimond Property

New London, NH

1 inch = 100 Feet




February 18, 2020



Data shown on this map is provided for planning and informational purposes only. The municipality and CAI Technologies are not responsible for any use for other purposes or misuse or misrepresentation of this map.

Guimond Property



Legend

- State
- County
- City/Town

1 Lat: 43.421278° N
Lon: 71.939722° W

Map Scale

1: 10,000



© NH GRANIT, www.granit.unh.edu

Map Generated: 2/18/2020

Notes

Guimond, David B Revocable Trust 2
17 Wilmot Center Road, New London
T/M/L #077-015-000

Geographic Coordinates:

Latitude: 43.421278

Longitude: 71.939722





New Hampshire Natural Heritage Bureau

To: Ian Aldcroft
1218 Union Avenue
Laconia, NH 03246

Date: 2/20/2020

From: NH Natural Heritage Bureau

Re: Review by NH Natural Heritage Bureau of request dated 2/20/2020

NHB File ID: NHB20-0526

Applicant: David Guimond

Location: Tax Map(s)/Lot(s): 077-015-000
New London

Project Description: Install a 6ft x 40ft seasonal dock attached to shore by a 4ft x 7ft concrete hinge pad behind full lake elevation. Additionally, from the end of the 6ft x 40ft seasonal dock install a U-shaped seasonal dockage consisting of a 4ft x 22ft connecting walkway with two 6ft x 16ft finger piers. Lastly, install one seasonal boatlift and two PWC lifts.


The NH Natural Heritage database has been checked for records of rare species and exemplary natural communities near the area mapped below. The species considered include those listed as Threatened or Endangered by either the state of New Hampshire or the federal government. We currently have no recorded occurrences for sensitive species near this project area.

A negative result (no record in our database) does not mean that a sensitive species is not present. Our data can only tell you of known occurrences, based on information gathered by qualified biologists and reported to our office. However, many areas have never been surveyed, or have only been surveyed for certain species. An on-site survey would provide better information on what species and communities are indeed present.

This report is valid through 2/19/2021.



MAP OF PROJECT BOUNDARIES FOR NHB FILE ID: NHB20-0526





0 foot Abutters List Report

New London, NH
February 18, 2020

Subject Property:

Parcel Number: 077-015-000
CAMA Number: 077-015-000-0000-00000
Property Address: 17 WILMOT CENTER RD

Mailing Address: GUIMOND DAVID B REVOCABLE TRUS
GUIMOND DAVID B REVOCABLE TRUS

Abutters:

Parcel Number: 077-014-000
CAMA Number: 077-014-000-0000-00000
Property Address: 425 ELKINS RD


Mailing Address: TOWN OF NEW LONDON
375 MAIN STREET
NEW LONDON, NH 03257

Parcel Number: 077-016-000
CAMA Number: 077-016-000-0000-00000
Property Address: 31 WILMOT CENTER RD

Mailing Address: KRAKOWER REVOC TRUST IRA J
KRAKOWER TRUSTEE IRA J


7018 3090 0001 7817 1542
2457 2782 1000 0600 9102

U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only	
For delivery information, visit our website at www.usps.com	
OFFICIAL USE	
Certified Mail Fee	\$ 3.50
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt (hardcopy)	\$ _____
<input type="checkbox"/> Return Receipt (electronic)	\$ _____
<input type="checkbox"/> Certified Mail Restricted Delivery	\$ _____
<input type="checkbox"/> Adult Signature Required	\$ _____
<input type="checkbox"/> Adult Signature Restricted Delivery	\$ _____
Postage	\$ 0.50
Total Postage and Fees	\$ 4.00
Sent To Town of New London Street and 375 Main Street City, State New London, NH 03257	
PS Form 3800, April 2015 PSN 7530-02-000-9001. See reverse for instructions.	




7018 3090 0001 7812 9048
2457 2782 1000 0600 9102

U.S. Postal Service™ CERTIFIED MAIL® RECEIPT Domestic Mail Only	
For delivery information, visit our website at www.usps.com	
OFFICIAL USE	
Certified Mail Fee	\$ 3.50
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt (hardcopy)	\$ _____
<input type="checkbox"/> Return Receipt (electronic)	\$ _____
<input type="checkbox"/> Certified Mail Restricted Delivery	\$ _____
<input type="checkbox"/> Adult Signature Required	\$ _____
<input type="checkbox"/> Adult Signature Restricted Delivery	\$ _____
Postage	\$ 0.50
Total Postage and Fees	\$ 4.00
Sent To Krakower Ira J. Revocable Trust Street and Trustee: Ira Krakower City, State	
PS Form 3800, April 2015 PSN 7530-02-000-9001. See reverse for instructions.	




www.cai-tech.com

RECEIVED
 AUG 21 2020
 NHDES
 LAND RESOURCES MANAGEMENT



Kitchener/L
 TM/L #077-018-000


 Watermark Marine Construction
 1218 Union Avenue
 Laconia, NH 03246
 603-293-4000 (Phone)
 603-524-8100 (Fax)

Project Name: Guimond, David	Plan Title: Proposed Conditions
Plan Scale: 1" = 30'	Project Town: New London
Plan Date: 03/03/2020	Revisions Date(s): 08/11/2020