



The State of New Hampshire
**Department of Environmental
Services**

Robert R. Scott, Commissioner



February 21, 2018

His Excellency, Governor Christopher T. Sununu
and The Honorable Council
State House
Concord, NH 03301

REQUESTED ACTION

Approve Brian Short's request to perform the following work on the Piscataqua River, in Dover. File # 2017-02677. This project will not have significant impact on or adversely affect the values of the Piscataqua River.

Construct a tidal docking structure consisting of a 4 foot x 6 foot landing in the upland tidal buffer zone, connecting to a 4 foot x 15 foot access ramp, connecting to a 4 foot x 55 foot permanent pier with batter chains, connecting to a 3 foot x 40 foot gangway, connecting to a 6 foot x 30 foot float and a 10 foot x 40 foot float in a "T" configuration with an overall structure length seaward of highest observable tide line of 140 feet, providing three slips on 349 feet of frontage on the Piscataqua River.

The Department imposed the following conditions as part of this approval:

1. All work shall be in accordance with revised plans by TM Marine dated November 13, 2017 and plans by Jones & Beach Engineers, Inc. dated December 6, 2017, as received by the NH Department of Environmental Services (NHDES) on December 26, 2017.
2. This permit shall not be effective until recorded at the Strafford County Registry of Deeds Office by the permittee. A copy of the recorded permit shall be submitted to the NHDES Wetlands Bureau prior to the commencement of construction.
3. Not less than 5 state business days prior to starting work authorized by this permit, the permittee shall notify the NHDES Wetlands Bureau Pease office and the local conservation commission in writing of the date on which work under this permit is expected to start.
4. There shall be no removal of mature trees along the shoreline of the river on this property associated with the construction of the dock.

5. This tidal docking structure consisting of a 4 foot x 6 foot landing in the upland tidal buffer zone, connecting to a 4 foot x 15 foot access ramp, connecting to a 4 foot x 55 foot permanent pier with batter chains, connecting to a 3 foot x 40 foot gangway, connecting to a 6 foot x 30 foot float and 10 foot x 40 foot float in a "T" configuration with an overall structure length seaward of highest observable tide line of 140 feet, providing three slips on 349 feet of frontage on the Piscataqua River, shall be the only structure on the frontage. All portions of the dock approved herein shall be at least 20 feet from abutting property lines or the imaginary extension of those lines into the water.
6. The height of the pier's decking over the surface of the tidal marsh at normal high tide shall equal the width of the decking. Decking shall have 3/4-inch spacing between the decking planks.
7. The seasonal structures, including but not limited to the gangway and floats, shall be removed during the non-boating season and stored on the existing pier or in an upland location.
8. Any future work in jurisdiction as specified in RSA 482-A on this property will require a new application and approval by the NHDES Wetlands Bureau.
9. No person undertaking any activity shall cause or contribute to, or allow the activity to cause or contribute to, any violations of the surface water quality standards in RSA 485-A and Env-Wq 1700.
10. Appropriate siltation and erosion controls shall be in place prior to construction, shall be maintained during construction, and shall remain in place until the area is stabilized. Temporary controls shall be removed once the area has been stabilized.
11. Construction of the dock shall occur from land, or from a barge and crane if land-based construction is not feasible, to reduce potential impacts to the salt marsh and intertidal zone.
12. Pile driving or pile removal work shall be done during low tide.
13. Pilings to be removed shall be cut level with the substrate rather than pulled, in order to limit the creation of turbidity.
14. All work shall be conducted in a manner so as to minimize turbidity and sedimentation to surface waters and wetlands.
15. All work shall be conducted in a manner that avoids excessive discharges of sediments to fish spawning areas.
16. All construction-related debris shall be properly disposed of outside of the areas subject to RSA 482-A.
17. Within three days of final grading or temporary suspension of work in an area that is adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.

EXPLANATION

The NHDES Wetlands Bureau approved this project on January 22, 2018. NHDES supported its decision with the following findings:

1. This is a major impact project per Administrative Rule Env-Wt 303.02(a), projects in sand dunes, tidal wetlands, or bogs, except for the repair of existing structures pursuant to Env-Wt 303.04(v).
2. The need for the proposed impacts has been demonstrated by the applicant per Env-Wt 302.01. There is currently no dock present on the frontage.

3. The applicant has provided evidence which demonstrates that this proposal is the alternative with the least adverse impact to areas and environments under the department's jurisdiction per Env-Wt 302.03. The dock is the minimum length necessary to provide full tide access at mean lower low water at this location, to a water depth which will prevent the float and vessel from sitting on the mud at low tide.
4. The applicant has demonstrated by plan and example that each factor listed in Env-Wt 302.04(a) and (c), Requirements for Application Evaluation, has been considered in the design of the project.
 - a. The NH Natural Heritage Bureau (NHB) has record of sensitive species occurring within the project vicinity, but the NHB does not expect impacts to the species by the project.
 - b. With respect to the proposal's impact on navigation, the entire structure is located greater than 20 feet off the abutting property lines or the imaginary extensions waterward thereof. The design has been reviewed by the Pease Development Authority, Division of Ports and Harbors and, per letter dated December 19, 2017, determined that the project would have no negative effect on navigation in the channel.
5. The Dover Newington Conservation Commission signed the application endorsing the project.
6. This dock is consistent with other tidal dock facility approvals in the seacoast.
7. NHDES staff field inspection on January 19, 2018 found that plans accurately reflect field conditions and the proposed design will not obstruct near-shore navigation.

Application file documents are being forwarded to the Governor and Executive Council in connection with their consideration of this matter pursuant to RSA 482-A:3,II.(a) as it is a major project in public waters of the state.

We respectfully submit this request for your consideration.



Robert R. Scott
Commissioner



WETLANDS PERMIT APPLICATION

Water Division/ Wetlands Bureau
Land Resources Management



Check the status of your application: www.des.nh.gov/onestop

RSA 485-A:17, RSA 485-A:2, RSA 483-B

<div style="font-size: 2em; font-weight: bold; letter-spacing: 0.5em;">RECEIVED</div> <div style="font-size: 1.2em; font-weight: bold;">SEP 06 2017</div> <div style="font-size: 0.8em;">Use Only NHDES</div> <div style="font-size: 0.8em; font-weight: bold;">LAND RESOURCES MANAGEMENT</div>	<div style="font-size: 2em; font-weight: bold; letter-spacing: 0.5em;">COMPLETE</div> <div style="font-size: 1.2em; font-weight: bold;">SEP 08 2017</div> <div style="font-size: 0.8em;">Administrative Use Only</div>	<div style="font-size: 1.2em; font-weight: bold;">Administrative Use Only</div>	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="font-size: 0.8em;">File No.:</td> <td style="font-size: 1.2em; font-weight: bold;">2017-02677</td> </tr> <tr> <td style="font-size: 0.8em;">Check No.:</td> <td style="font-size: 1.2em; font-weight: bold;">139</td> </tr> <tr> <td style="font-size: 0.8em;">Amount:</td> <td style="font-size: 1.2em; font-weight: bold;">\$2,040.00</td> </tr> <tr> <td style="font-size: 0.8em;">Initials:</td> <td style="font-size: 1.2em; font-weight: bold;">LSL</td> </tr> </table>	File No.:	2017-02677	Check No.:	139	Amount:	\$2,040.00	Initials:	LSL
File No.:	2017-02677										
Check No.:	139										
Amount:	\$2,040.00										
Initials:	LSL										

1. REVIEW TIME Indicate your Review Time below. To determine review time, refer to Guidance Document A for instructions.

- Standard Review (Minimum, Minor or Major Impact) Expedited Review (Minimum Impact only)

2. MITIGATION REQUIREMENT

If mitigation is required, a Mitigation-Pre Application meeting must occur prior to submitting this Wetlands Permit Application. To determine if Mitigation is Required, please refer to the Determine if Mitigation is Required Frequently Asked Question.

Mitigation Pre-Application Meeting Date: Month: ___ Day: ___ Year: ___

- N/A - Mitigation is not required

3. PROJECT LOCATION

Separate wetland permit applications must be submitted for each municipality that wetland impacts occur within.

ADDRESS: 3 Wentworth Terrace			TOWN/CITY: Dover
TAX MAP: 8	BLOCK:	LOT: 32	UNIT: 1
USGS TOPO MAP WATERBODY NAME: Piscataqua River		<input type="checkbox"/> NA	STREAM WATERSHED SIZE: <input type="checkbox"/> NA
LOCATION COORDINATES (If known): 43d7'24"n;70d49'45"w			<input checked="" type="checkbox"/> Latitude/Longitude <input type="checkbox"/>

4. PROJECT DESCRIPTION

Provide a brief description of the project outlining the scope of work. Attach additional sheets as needed to provide a detailed explanation of your project. **DO NOT** reply "See Attached" in the space provided below.

Installation of a dock.

5. SHORELINE FRONTAGE

- NA This does not have shoreline frontage. SHORELINE FRONTAGE: **360**

Shoreline frontage is calculated by determining the average of the distances of the actual natural navigable shoreline frontage and a straight line drawn between the property lines, both of which are measured at the normal high water line.

6. RELATED NHDES LAND RESOURCES MANAGEMENT PERMIT APPLICATIONS ASSOCIATED WITH THIS PROJECT:

Please indicate if any of the following permit applications are required and, if required, the status of the application. To determine if other Land Resources Management Permits are required, refer to the Land Resources Management Web Page.

Permit Type	Permit Required	File Number	Permit Application Status
Alteration of Terrain Permit Per RSA 485-A:17	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	_____	<input type="checkbox"/> APPROVED <input type="checkbox"/> PENDING <input type="checkbox"/> DENIED
Individual Sewerage Disposal per RSA 485-A:2	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	_____	<input type="checkbox"/> APPROVED <input type="checkbox"/> PENDING <input type="checkbox"/> DENIED
Subdivision Approval Per RSA 485-A	<input type="checkbox"/> YES <input checked="" type="checkbox"/> NO	_____	<input type="checkbox"/> APPROVED <input type="checkbox"/> PENDING <input type="checkbox"/> DENIED
Shoreland Permit Per RSA 483-B	<input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	_____	<input type="checkbox"/> APPROVED <input checked="" type="checkbox"/> PENDING <input type="checkbox"/> DENIED

7. NATURAL HERITAGE BUREAU & DESIGNATED RIVERS:

See the Instructions & Required Attachments document for instructions to complete a & b below.

- a. Natural Heritage Bureau File ID: NHB 17 - 2466
- b. Designated River the project is in ¼ miles of _____; and
date a copy of the application was sent to the Local River Management Advisory Committee: Month: ___ Day: ___ Year: ___
- N/A

8. APPLICANT INFORMATION (Desired permit holder)LAST NAME, FIRST NAME, M.I.: **Warschauer, Jeffrey & Sharon**

TRUST / COMPANY NAME:

MAILING ADDRESS:

TOWN/CITY: **Newfields**STATE: **NH**ZIP CODE: **17143**

EMAIL or FAX:

PHONE:

ELECTRONIC COMMUNICATION: By initialing here: **JW**, I hereby authorize NHDES to communicate all matters relative to this application electronically**9. PROPERTY OWNER INFORMATION (If different than applicant)**LAST NAME, FIRST NAME, M.I.: **Same as Applicant**

TRUST / COMPANY NAME:

MAILING ADDRESS:

TOWN/CITY:

STATE:

ZIP CODE:

EMAIL or FAX:

PHONE:

ELECTRONIC COMMUNICATION: By initialing here _____, I hereby authorize NHDES to communicate all matters relative to this application electronically

10. AUTHORIZED AGENT INFORMATIONLAST NAME, FIRST NAME, M.I.: **Gier, Barry W.**COMPANY NAME: **Jones & Beach Engineers**MAILING ADDRESS: **P.O. Box 219**TOWN/CITY: **Stratham**STATE: **NH**ZIP CODE: **03885**EMAIL or FAX: **bgier@jonesandbeach.com**PHONE: **603-772-4746**ELECTRONIC COMMUNICATION: By initialing here **BWG**, I hereby authorize NHDES to communicate all matters relative to this application electronically**11. PROPERTY OWNER SIGNATURE:**

See the Instructions & Required Attachments document for clarification of the below statements

By signing the application, I am certifying that:

1. I authorize the applicant and/or agent indicated on this form to act in my behalf in the processing of this application, and to furnish upon request, supplemental information in support of this permit application.
2. I have reviewed and submitted information & attachments outlined in the Instructions and Required Attachment document.
3. All abutters have been identified in accordance with RSA 482-A:3, I and Env-Wt 100-900.
4. I have read and provided the required information outlined in Env-Wt 302.04 for the applicable project type.
5. I have read and understand Env-Wt 302.03 and have chosen the least impacting alternative.
6. Any structure that I am proposing to repair/replace was either previously permitted by the Wetlands Bureau or would be considered grandfathered per Env-Wt 101.47.
7. I have submitted a Request for Project Review (RPR) Form (www.nh.gov/nhdhr/review) to the NH State Historic Preservation Officer (SHPO) at the NH Division of Historical Resources to identify the presence of historical/ archeological resources while coordinating with the lead federal agency for NHPA 106 compliance.
8. I authorize NHDES and the municipal conservation commission to inspect the site of the proposed project.
9. I have reviewed the information being submitted and that to the best of my knowledge the information is true and accurate.
10. I understand that the willful submission of falsified or misrepresented information to the New Hampshire Department of Environmental Services is a criminal act, which may result in legal action.
11. I am aware that the work I am proposing may require additional state, local or federal permits which I am responsible for obtaining.
12. The mailing addresses I have provided are up to date and appropriate for receipt of NHDES correspondence. NHDES will not forward returned mail.

Barry W. Gier For Jeff Warschauer
Property Owner Signature

Barry W. Gier For Jeff Warschauer
Print name legibly

B130117
Date

Price, David

From: Price, David
Sent: Wednesday, December 06, 2017 11:09 AM
To: 'James Olcott'
Subject: RE: Warschauer Application

James,

Thanks for the information. We'll change the ownership in our database. Can you let us know when the transfer is final? Also, please let us know if anything changes with the ownership (sale falls through, etc.) and we'll make the necessary changes. I don't think you need to correct the address on the plan. We will add this email to the file for documentation of the correct address.

Dave

David Price
DES Land Resources Management
Pease Office - 222 International Dr. - Ste. 175
Portsmouth NH 03801
(603) 559-1514

From: James Olcott [<mailto:jolc89@gmail.com>]
Sent: Wednesday, December 06, 2017 11:02 AM
To: Price, David
Subject: RE: Warschauer Application

Dave,

Thanks for the prompt reply! I'm still not entirely sure what the timeline is for the sale, my understanding is that it pending but imminent. Here are the pertinent addresses for the change of ownership of 3 Wentworth Terrace, Dover (Map/Block:8-32-0-1):

Current Owner/Current Applicant:

Jeffrey and Sharon Warschauer

██████████
Newfields, NH 03856

Purchasing Agent/New Applicant:

Brian Short

██████████
Dover, NH 03820

I believe I wrote Brian's current address as ██████████ (the property in question) on the revised plan (rather than ██████████), do you think that needs to be corrected to reflect his current address? Even though he will be the owner of the property in question in the coming weeks. Any advice would be appreciated. Otherwise, let me know if there's anything else I can provide to help you out. Thanks a lot!

Sincerely,

James Olcott

MUNICIPAL SIGNATURES

12. CONSERVATION COMMISSION SIGNATURE

The signature below certifies that the municipal conservation commission has reviewed this application, and:

1. Waives its right to intervene per RSA 482-A:11;
2. Believes that the application and submitted plans accurately represent the proposed project; and
3. Has no objection to permitting the proposed work.

<input style="width: 90%; height: 50px;" type="text"/>	<input style="width: 90%; height: 50px;" type="text"/>	<input style="width: 90%; height: 50px;" type="text"/>
	Print name legibly	Date

DIRECTIONS FOR CONSERVATION COMMISSION

1. Expedited review ONLY requires that the conservation commission's signature is obtained in the space above.
2. Expedited review requires the Conservation Commission signature be obtained **prior** to the submittal of the original application to the Town/City Clerk for signature.
3. The Conservation Commission may refuse to sign. If the Conservation Commission does not sign this statement for any reason, the application is not eligible for expedited review and the application will reviewed in the standard review time frame.

13. TOWN / CITY CLERK SIGNATURE

As required by Chapter 482-A:3 (amended 2014), I hereby certify that the applicant has filed four application forms, four detailed plans, and four USGS location maps with the town/city indicated below.

<input style="width: 90%; height: 50px;" type="text"/>			
Town/City Clerk Signature	Print name legibly	Town/City	Date

DIRECTIONS FOR TOWN/CITY CLERK:

Per RSA 482-A:3,I

1. For applications where "Expedited Review" is checked on page 1, if the Conservation Commission signature is not present, NHDES will accept the permit application, but it will NOT receive the expedited review time.
2. IMMEDIATELY sign the original application form and four copies in the signature space provided above;
3. Return the signed original application form and attachments to the applicant so that the applicant may submit the application form and attachments to NHDES by mail or hand delivery.
4. IMMEDIATELY distribute a copy of the application with one complete set of attachments to each of the following bodies: the municipal Conservation Commission, the local governing body (Board of Selectmen or Town/City Council), and the Planning Board; and
5. Retain one copy of the application form and one complete set of attachments and make them reasonably accessible for public review.

DIRECTIONS FOR APPLICANT:

1. Submit the single, original permit application form bearing the signature of the Town/ City Clerk, additional materials, and the application fee to NHDES by mail or hand delivery.

14. IMPACT AREA:

For each jurisdictional area that will be/has been impacted, provide square feet and, if applicable, linear feet of impact

Permanent: impacts that will remain after the project is complete.

Temporary: impacts not intended to remain (and will be restored to pre-construction conditions) after the project is complete.

JURISDICTIONAL AREA	PERMANENT Sq. Ft. / Lin. Ft.	TEMPORARY Sq. Ft. / Lin. Ft.
Forested wetland	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Scrub-shrub wetland	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Emergent wetland	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Wet meadow	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Intermittent stream	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Perennial Stream / River	/	/
Lake / Pond	/	/
Bank - Intermittent stream	/	/
Bank - Perennial stream / River	/	/
Bank - Lake / Pond	/	/
Tidal water	/	/
Salt marsh	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Sand dune	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Prime wetland	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Prime wetland buffer	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Undeveloped Tidal Buffer Zone (TBZ)	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Previously-developed upland in TBZ	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Docking - Lake / Pond	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Docking - River	<input type="checkbox"/> ATF	<input type="checkbox"/> ATF
Docking - Tidal Water	420 <input type="checkbox"/> ATF	1,000 <input type="checkbox"/> ATF
TOTAL	420 /	1,000 /


15. APPLICATION FEE: See the Instructions & Required Attachments document for further instruction

Minimum Impact Fee: Flat fee of \$ 200

Minor or Major Impact Fee: Calculate using the below table below

Permanent and Temporary (non-docking)	_____ sq. ft.	X \$0.20 =	\$ _____
Temporary (seasonal) docking structure:	1,000 sq. ft.	X \$1.00 =	\$ 1,000
Permanent docking structure:	420 sq. ft.	X \$2.00 =	\$ 840
Projects proposing shoreline structures (including docks) add \$200 =			\$ 200
Total =			\$ 2,040

The Application Fee is the above calculated Total or \$200, whichever is greater = **\$ 2,040**




Property Information
 Property ID 08032-000000
 Location 3 WENTWORTH TR
 Owner SHORT BRAN D E



**MAP FOR REFERENCE ONLY
 NOT A LEGAL DOCUMENT**

City of Dover, NH makes no claims and no warranties, expressed or implied, concerning the validity or accuracy of the GIS data presented on this map.

Parcels updated 6/13/2017
 Properties updated 08/08/2017





NEW HAMPSHIRE NATURAL HERITAGE BUREAU
NHB DATACHECK RESULTS LETTER

To: Barry Gier
85 Portsmouth Avenue
P.O. Box 219
Stratham, NH 03885

From: NH Natural Heritage Bureau

Date: 8/14/2017 (valid for one year from this date)

Re: Review by NH Natural Heritage Bureau of request submitted 8/7/2017

NHB File ID: NHB17-2466

Applicant: Jeffrey Warschauer

Location: Dover
Tax Maps: Tax Map 8 / Lot 32

Project Description: Installation of a dock on the Piscataqua River

The NH Natural Heritage database has been checked by staff of the NH Natural Heritage Bureau and/or the NH Nongame and Endangered Species Program for records of rare species and exemplary natural communities near the area mapped below. The species considered include those listed as Threatened or Endangered by either the state of New Hampshire or the federal government.


It was determined that, although there was a NHB record (e.g., rare wildlife, plant, and/or natural community) present in the vicinity, we do not expect that it will be impacted by the proposed project. This determination was made based on the project information submitted via the NHB Datacheck Tool on 8/7/2017, and cannot be used for any other project.



NEW HAMPSHIRE NATURAL HERITAGE BUREAU
NHB DATA CHECK RESULTS LETTER

MAP OF PROJECT BOUNDARIES FOR: NHB17-2466

NHB17-2466



U.S. Postal Service
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com

OFFICIAL USE

Certified Mail Fee

\$ 3.35

Extra Services & Fees (check box, add fee as appropriate)

- Return Receipt (hardcopy) \$ 2.75
- Return Receipt (electronic) \$
- Certified Mail Restricted Delivery \$
- Adult Signature Required \$
- Adult Signature Restricted Delivery \$

Postage

\$.46

Total Postage and

\$ 6.56

Sent To

SUSAN A. DRADY MCCOOEY

Street and Apt. No.

DOVER, NH 03820

City, State, ZIP+4®

17143

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com

OFFICIAL USE

Certified Mail Fee

\$ 3.35

Extra Services & Fees (check box, add fee as appropriate)

- Return Receipt (hardcopy) \$ 2.75
- Return Receipt (electronic) \$
- Certified Mail Restricted Delivery \$
- Adult Signature Required \$
- Adult Signature Restricted Delivery \$

Postage

\$.46

Total Postage and

\$ 6.56

Sent To

KEVIN S. JOYCE LIVING TRUST &
MARTIN ALINTUCK TRUST

Street and Apt. No.

KINGSTON, NH 03438

City, State, ZIP+4®

17143

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

U.S. Postal Service
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com

OFFICIAL USE

Certified Mail Fee

\$ 3.35

Extra Services & Fees (check box, add fee as appropriate)

- Return Receipt (hardcopy) \$ 2.75
- Return Receipt (electronic) \$
- Certified Mail Restricted Delivery \$
- Adult Signature Required \$
- Adult Signature Restricted Delivery \$

Postage

\$.46

Total Postage and

\$ 6.56

Sent To

JONES & BEACH ENGINEERS, INC.

ATTN: BARRY GIER

PO BOX 219

STRATHAM, NH 03885

Street and Apt. No.

City, State, ZIP+4®

17143

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com

OFFICIAL USE

Certified Mail Fee

\$ 3.35

Extra Services & Fees (check box, add fee as appropriate)

- Return Receipt (hardcopy) \$ 2.75
- Return Receipt (electronic) \$
- Certified Mail Restricted Delivery \$
- Adult Signature Required \$
- Adult Signature Restricted Delivery \$

Postage

\$.46

Total Postage and

\$ 6.56

Sent To

BRIAN D. SHORT
MARY ANN HEMMING SHORT

Street and Apt. No.

DOVER, NH 03820-4658

City, State, ZIP+4®

17143

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com

OFFICIAL USE

Certified Mail Fee

\$ 3.35

Extra Services & Fees (check box, add fee as appropriate)

- Return Receipt (hardcopy) \$ 2.75
- Return Receipt (electronic) \$
- Certified Mail Restricted Delivery \$
- Adult Signature Required \$
- Adult Signature Restricted Delivery \$

Postage

\$.46

Total Postage and

\$ 6.56

Sent To

JEFFREY & SHARON WARSHAUER

Street and Apt. No.

NEWFIELDS, NH 03856

City, State, ZIP+4®

17143

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

7016 0600 0000 5129 6975

7016 0600 0000 5129 6975

7016 0600 0000 5129 6975